· · · · · · · · · · · · · · · · · · ·		
Application No.	Applicant(s)	
10/654,330	ROGERS ET AL.	
Examiner	Art Unit	
Demetrius R. Pretlow	2863	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
3. 🔀 The drawings filed on <u>03 September 2003</u> are accepted by the Examiner.		
peen received. peen received in Application No uments have been received in this in this communication to file a reply of this application.  The communication to file a reply of this application.  The communication to file a reply of this application.  The communication to file a reply of this application.  The communication to file a reply of this application.  The communication to file a reply of this application.  The communication to file a reply of this application.  The communication to file a reply of this application to file a reply of this application.  The communication to file a reply of this application to file a reply of this application.	national stage application from the complying with the requirements  'S AMENDMENT or NOTICE OF tion is deficient.	
Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
6. ☐ Interview Summary Paper No./Mail Dat ), 7. ☑ Examiner's Amendn		
	DR REMAINS) CLOSED in this application of the appropriate communication of the appropriate communication of the application is subject to and MPEP 1308.  The Examiner.  The application is subject to and MPEP 1308.  The Examiner.  The application is subject to and MPEP 1308.  The Examiner.  The application is subject to and MPEP 1308.  The examiner is application in the application in the application.  The application is application in the application.  The application is application in the application in the application.  The application is application in the application in the application.  The application is application in the app	

Application/Control Number: 10/654,330

Art Unit: 2863

**DETAILED ACTION** 

**EXAMINER'S AMENDMENT** 

The application has been amended as follows:

In preamendment to specification filed January 5, 2004, line 2, after 1999 please enter -

- now US Patent 6,691,061-- .

Allowable Subject Matter

Claims 1-13 and 16 are allowed.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Demetrius R. Pretlow whose telephone number is (703)

272-2278. The examiner can normally be reached on 8-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, John Barlow can be reached on (571) 272-2269. The fax phone number for

the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

Demetrius R. Pretlow

Dent Pretto

11/23/04

Patent Examiner

John Barlow
Supervisory Patent Examiner
Technology 8

Technology Center 2800

Page 2